

Appln No. 09/785,643
Amdt date September 1, 2005
Reply to Office action of June 6, 2005

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Original) A method of providing a value bearing indicium to an end-user via a computer network, the method comprising the steps of:

receiving validation information from an end-user's machine via the computer network;

generating value bearing indicium data using the validation information;

storing the value bearing indicium data in a validation information database;

transmitting the value bearing indicium data to the end-user's machine via the computer network;

receiving the value bearing indicium data from a scanning machine via the computer network;

determining a validity status for the value bearing indicium data using the validation information database; and

transmitting the validity status to the scanning machine.

2. (Original) The method of claim 1, further comprising the steps of:

receiving a value bearing indicium data request from the end-user's machine via the computer network;

Appln No. 09/785,643
Amdt date September 1, 2005
Reply to Office action of June 6, 2005

generating the validation information from the value bearing indicium data request; and

transmitting the validation information to the end-user's machine via the computer network.

3. (Original) The method of claim 2, further comprising the step of transmitting the validity status to a value bearing indicium distributor.

4. (Original) The method of claim 1, wherein the validity status of the value bearing indicium data is determined to be invalid if the value bearing indicium data is not found in the validation information database.

5. (Original) The method of claim 1, wherein the validity status of the value bearing indicium data is determined to be redeemed if the value bearing indicium data is found in the validation information database and the value bearing indicium data has been previously redeemed.

6. (Original) The method of claim 1 wherein the value bearing indicium data is a ticket.

7. (Original) The method of claim 1 wherein the value bearing indicium data is postage for a mail piece.

8. (Original) The method of claim 1 wherein the value bearing indicium data is currency.

Appln No. 09/785,643

Amdt date September 1, 2005

Reply to Office action of June 6, 2005

9. (Original) The method of claim 1 wherein the value bearing indicium data is a voucher.

10. (Original) The method of claim 1 wherein the value bearing indicium data is a coupon.

11. (Original) The method of claim 1 wherein the value bearing indicium data is a traveler's check.

12. (Original) The method of claim 1, wherein the step of generating value bearing indicium data using the validation information includes the steps of:

generating a message digest by hashing a first subset of the validation information;

generating a digital signature from the message digest; and

generating a bar code from a second subset of the validation information.

13. (Currently Amended) A method of providing a ticket to an end-user via a computer network, the method comprising the steps of:

providing a ticket server, the ticket server operably coupled to a validation information database;

providing a distributor server to generate a web interface to allow access by a user through a web browser;

receiving a ticket request from an end-user's machine by the distributor server via the computer network;

Appln No. 09/785,643
Amdt date September 1, 2005
Reply to Office action of June 6, 2005

generating validation information from the ticket request
by the distributor server;

transmitting the validation information to the end-user's
machine by the distributor server via the computer network to be
displayed via the web browser;

receiving by the ticket server the validation information
from the end-user's machine via the computer network;

generating by the ticket server a ticket using the
validation information;

storing the ticket in the validation information database;

transmitting the ticket to the end-user's machine by the
ticket server via the computer network to be displayed via the
web browser;

receiving the ticket from a scanning machine by the ticket
server via the computer network;

determining a validity status for the ticket by the ticket
server using the validation information database;

transmitting the validity status to the scanning machine by
the ticket server via the computer network; and

transmitting the validity status to the distributor server
by the ticket server via the computer network.

14. (Previously Presented) The method of claim 13, wherein
the validity status of the ticket is determined to be invalid if
the validation information is not found in the validation
information database.

Appln No. 09/785,643

Amdt date September 1, 2005

Reply to Office action of June 6, 2005

15. (Previously Presented) The method of claim 13, wherein the validity status of the validation information is determined to be redeemed if the validation information is found in the validation information database and the validation information has been previously redeemed.

16. (Original) The method of claim 13, the step of generating a ticket using the validation information including the steps of:

generating a message digest by hashing a first subset of the validation information;

generating a digital signature from the message digest;

generating a bar code from a second subset of the validation information; and

transmitting via the computer network the digital signature and the bar code to the end-user's machine to be printed as a ticket.

17. (Original) The method of claim 16, wherein the message digest is generated using a secure hash algorithm.

18. (Original) The method of claim 17, wherein the digital signature is generated using a digital signature algorithm.

19. (Original) A data processing system adapted to process a value bearing indicium via a computer network, the data processing system comprising:

an end-user's machine;

Appln No. 09/785,643
Amdt date September 1, 2005
Reply to Office action of June 6, 2005

a scanning machine; and
an indicium server including:
a processor; and
a memory operably coupled to the processor and having
indiciu server program instructions stored therein, the
processor being operable to execute the indicium server program
instructions, the indicium server program instructions
including:
receiving validation information from the end-
user's machine via the computer network;
generating value bearing indicium data using the
validation information;
storing the value bearing indicium data in a
validation information database;
transmitting the value bearing indicium data to
the end-user's machine via the computer network;
receiving the value bearing indicium data from
the scanning machine via the computer network;
determining a validity status for the value bearing indicium
data using the validation information database; and
transmitting the validity status to the scanning
machine.

20. (Original) The data processing system of claim 19,
wherein the validity status of the value bearing indicium data
is determined to be invalid if the value bearing indicium data
is not found in the validation information database.

Appln No. 09/785,643

Amdt date September 1, 2005

Reply to Office action of June 6, 2005

21. (Original) The data processing system of claim 19, wherein the validity status of the value bearing indicium data is determined to be redeemed if the value bearing indicium data is found in the validation information database and the value bearing indicium data has been previously redeemed.

22. (Original) The data processing system of claim 19 further comprising a distributor server, the distributor server including:

a processor; and

a memory operably coupled to the processor and having program instructions stored therein, the processor being operable to execute the program instructions, the program instructions including:

receiving a value bearing indicium data request from the end-user's machine via the computer network;

generating the validation information from the value bearing indicium data request; and

transmitting the validation information to the end-user's machine via the computer network.

23. (Original) The data processing system of claim 22, the indicium server program instructions further including transmitting the validity status to the distributor server.

24. (Original) The data processing system of claim 19 wherein the value bearing indicium data is a ticket.

Appln No. 09/785,643

Amdt date September 1, 2005

Reply to Office action of June 6, 2005

25. (Original) The data processing system of claim 19 wherein the value bearing indicium data is postage for a mail piece.

26. (Original) The data processing system of claim 19 wherein the value bearing indicium data is currency.

27. (Original) The data processing system of claim 19 wherein the value bearing indicium data is a voucher.

28. (Original) The data processing system of claim 19 wherein the value bearing indicium data is a coupon.

29. (Original) The data processing system of claim 19 wherein the value bearing indicium data is a traveler's check.

30. (Original) The data processing system of claim 19, wherein the program instructions for generating value bearing indicium data using the validation information include:

generating a message digest by hashing a first subset of the validation information;

generating a digital signature from the message digest;

generating a bar code from a second subset of the validation information; and

transmitting via the computer network the digital signature and the bar code to the end-user's machine to be printed as a value bearing indicium.

Appln No. 09/785,643

Amdt date September 1, 2005

Reply to Office action of June 6, 2005

31. (Original) The data processing system of claim 30, wherein the message digest is generated using a secure hash algorithm.

32. (Original) The data processing system of claim 31, wherein the digital signature is generated using a digital signature algorithm.

33. (Currently Amended) A data processing system adapted to provide a ticket to an end-user via a computer network, the data processing system comprising:

an end-user's machine hosting a browser;

a scanning machine;

a distributor server including:

a processor; and

a memory operably coupled to the processor and having program instructions stored therein, the processor being operable to execute the program instructions, the program instructions including:

generating a web interface to be accessed by the browser;

receiving a ticket request from the end-user's machine via the computer network;

generating validation information from the ticket request to be displayed via the browser; and

transmitting the validation information to the end-user's machine via the computer network;

Appln No. 09/785,643
Amdt date September 1, 2005
Reply to Office action of June 6, 2005

a ticket server operably coupled to a validation information database, the ticket server including:

a processor; and

a memory operably coupled to the processor and having program instructions stored therein, the processor being operable to execute the program instructions, the program instructions including:

receiving the validation information from the end-user's machine via the computer network;

generating ticket data using the validation information to be displayed via the browser;

storing the ticket data in the validation information database;

transmitting the ticket data to the end-user's machine via the computer network;

receiving the ticket data from the scanning machine via the computer network;

determining a validity status for the ticket data using the validation information database; and

transmitting the validity status to the scanning machine.

34. (Original) The data processing system of claim 33, wherein the validity status of the ticket data is determined to be invalid if the ticket data is not found in the validation information database.

Appln No. 09/785,643

Amdt date September 1, 2005

Reply to Office action of June 6, 2005

35. (Original) The data processing system of claim 33, wherein the validity status of the ticket data is determined to be redeemed if the ticket data is found in the validation information database and the ticket data has been previously redeemed.

36. (Original) The data processing system of claim 33, wherein the program instructions for generating the ticket data using the validation information include:

generating a message digest by hashing a first subset of the validation information;

generating a digital signature from the message digest;

generating a bar code from a second subset of the validation information; and

transmitting via the computer network the digital signature and the bar code to the end-user's machine to be printed as a ticket.

37. (Original) The data processing system of claim 35, wherein the message digest is generated using a secure hash algorithm.

38. (Original) The data processing system of claim 37, wherein the digital signature is generated using a digital signature algorithm.

39. (Original) A computer-readable storage medium embodying computer program instructions for execution by a

Appln No. 09/785,643

Amdt date September 1, 2005

Reply to Office action of June 6, 2005

computer, the computer program instructions adapting a computer to provide value bearing indicium data to a end-user via a computer network, the computer program instructions comprising:

receiving validation information from [[an]] a browser hosted by an end-user's machine via the computer network;

generating value bearing indicium data using the validation information;

transmitting a response web page with a link to the value bearing indicium;

storing the value bearing indicium data in a validation information database;

receiving a requested from the browser to resolve the link;

transmitting the value bearing indicium data to the browser at the end-user's machine via the computer network;

receiving the value bearing indicium data from a scanning machine via the computer network;

determining a validity status for the value bearing indicium data using the validation information database; and

transmitting the validity status to the scanning machine.

40. (Original) The computer-readable storage medium of claim 39, wherein the validity status of the value bearing indicium data is determined to be invalid if the value bearing indicium data is not found in the validation information database.

41. (Original) The computer-readable storage medium of claim 39, wherein the validity status of the value bearing

Appln No. 09/785,643

Amdt date September 1, 2005

Reply to Office action of June 6, 2005

indicium data is determined to be redeemed if the value bearing indicium data is found in the validation information database and the value bearing indicium data has been previously redeemed.

42. (Original) The computer-readable storage medium of claim 39, the program instructions further including:

receiving a value bearing indicium data request from the end-user's machine via the computer network;

generating the validation information from the value bearing indicium data request; and

transmitting the validation information to the end-user's machine via the computer network.

43. (Currently Amended) A method of providing a value bearing indicium to an end-user via a computer network, the method comprising the steps of:

receiving a set of relevant information from an end-user's machine via the computer network;

verifying authenticity of the end-user responsive to the relevant information;

generating a message digest by hashing a first subset of the relevant information;

generating a digital signature from the message digest;

generating a 2-D bar code from a second subset of the relevant information;

transmitting via the computer network the digital signature and the 2-D bar code to the end-user's machine; and

Appln No. 09/785,643
Amdt date September 1, 2005
Reply to Office action of June 6, 2005

printing the digital signature and the 2-D bar code next to each other as a value bearing indicium[[]];

storing value bearing indicium data in a validity database;

receiving a request for validity status of the value bearing indicium;

providing a validity status based on a check of the validity database.

44. (Original) The method of Claim 43, wherein the message digest is generated using a secure hash algorithm.

45. (Original) The method of Claim 44, wherein the digital signature is generated using a digital signature algorithm.

46. (Original) The method of Claim 43, wherein the first subset of relevant information and the second subset of relevant information are the same.